

Nautilus

BANNER STAND

Quick View

Nautilus - probably the No 1 best-selling roller banner stand in the UK.



10 year guarantee
style, durability, reliability
30 second set-up
5 minute banner change
widths up to 150cm
single or double-sided

Key Features
(can be sent to clients or colleagues)

Quick Price Guide

	Turnaround: 4 to 5 days			
	1	2-3	4-5	6-9
Stand, banner, bag				
2160 x 800mm wide	180	165	150	143
2160 x 1000mm wide	235	212	188	176
2160 x 1200mm wide	290	269	248	233
2160 x 1500mm wide	345	320	284	266
Accessories	1	2-3	4-5	6-9
35W banner stand light	40	38	36	34
- padded lights bag	20	19	18	17

Click for [extended price list](#). All prices exclude VAT (17.5%) and delivery.
Prices based on a print-ready PDF artwork being supplied (see Artwork Set-up).
Prices shown are for single-sided, powder-coated silver stands.

Home

Key Features

Prices

Delivery

Order Form

Artwork Set-up



CLS Graphics Ltd

T: 01732 864194

E: alanf@clsgraphics.co.uk

W: www.clsgraphics.co.uk

Apex House
97-99 High Street
Edenbridge
Kent TN8 5AU

This product guide is

designed to help you

- get the facts fast
- look up any price
- advise colleagues or clients
- place orders efficiently
- set-up artwork correctly

Use the buttons , [links](#) and Forward/Back arrows at the top or bottom of your screen to get around your product guide.

Please also visit our website to access the latest information on our products and services.

We are here to help you too. If there is anything we can do then please just give us a call.

CLS Graphics Ltd is one of the UK's leading providers of portable graphic displays.

We supply banner stands, pop-up displays, modular stands, outdoor displays, literature racks, portable furniture and all types of large-format graphics for events, exhibitions and displays.

Nautilus

BANNER STAND

 Home

Key Features

The Nautilus is probably the No. 1 best-selling roller banner stand in the UK, offering a winning combination of reliability, durability, stylish looks, ease of use and value for money.

Great all-rounder





it offers the optimum balance between cost and quality, as well as a useful range of features and options

Easy change banners

the user can swap banners over within 5 mins, saving the time and expense of sending the stand back for fitting of new banners

Specifications

Stand type	Roll-up
Guarantee	10 years (against component failure and manufacturing defect)
No. of parts	2 (base, bungee-corded pole) + bag
Construction	High-grade aluminium casing and pole
Banner type	High resolution inkjet print to opaque polyester plus anti-scratch laminate (200-250 mic)
Assembly	30 seconds
Swap banner	5 minutes
Area of use	Indoor
Sides	Single or Double-sided
Height	2150mm
Width(s)	800, 1000, 1200 or 1500mm
Weight	5.5 kg (incl. 800mm stand, banner, bag, packing)
Colour	Powder-coated silver (or black, anodised)

No. 1 best-seller	single-sided base	5min banner swap
		
double-sided	double-sided base	
		
Dimensions (mm)	Accessories	
A 800, 1000, 1200, 1500 B 2160 C 2240 D 810, 1010 1210, 1510 E 195 <small>single sided</small> 255 <small>double sided</small> F 80	35w banner light - clips on to the pole - adds impact and clarity  Padded lights bag - protect and store - holds up to 4 lights 	
		

Prices

BANNER STAND

 Home

 Key Features

 Prices

 Delivery

 Order Form

 Artwork Set-up

Nautilus stand, bag and banner

Single-sided	Qty	turnaround				4 to 5 days		6 to 9 days		10 to 15 days	
		1	2-3	4-5	6-9	10-19	20-39	40-69	70-99	100+	
2160 x 800mm wide	180	165	150	143	133	124	114	105	95		
2160 x 1000mm wide	235	212	188	176	165	153	141	129	118		
2160 x 1200mm wide	290	269	248	233	217	202	186	171	155		
2160 x 1500mm wide	345	320	284	266	249	231	213	195	178		
Double-sided	Qty										
		2160 x 800mm wide	380	342	304	285	266	247	228	209	190
		2160 x 1000mm wide	440	396	352	330	308	286	264	242	220
		2160 x 1200mm wide	510	460	410	383	357	332	306	281	255
		2160 x 1500mm wide	580	522	464	435	406	377	348	319	290

Accessories & Spares

Product	Qty	1	2-3	4-5	6-9	10-19	20-39	40-69	70-99	100+
35W banner light	40	38	36	34	32	30	28	26	24	
- spare bulbs	7	6	5	4	3	3	3	3	3	
- padded lights bag	20	19	18	17	16	15	14	13	12	

Lights bags can hold up to 4 banner lights, plus spare bulbs.

Spares: New pole £25, new 800mm bag £25, new 1000mm bag £30, new 1200mm bag £35, new 1500mm bag £40 plus £5 P&P

Replacement banners for existing Nautilus stands

Size	Qty	1	2-3	4-5	6-9	10-19	20-39	40-69	70-99	100+
2160 x 800mm wide	120	108	96	90	84	81	78	75	72	
2160 x 1000mm wide	145	131	116	109	102	98	94	91	87	
2160 x 1200mm wide	180	162	144	136	126	122	118	114	108	
2160 x 1500mm wide	205	185	164	154	144	139	134	129	123	

Price includes new top quality graphic panel, renewing existing rails and fitting to existing stand.

1. All prices exclude VAT (17.5%) and [delivery](#).

2. Prices are based on printing from print-ready PDFs supplied according to our artwork guides (see [Artwork Set-up](#)).

3. Artwork not supplied as print-ready PDFs will be subject to a £10 set-up charge per banner stand artwork.

4. Studio time creating or modifying artwork is charged at £50/hr, with a minimum charge of £15 including PDF proof.

Machine Proofs	Each
10% proof	
- 1st artwork	20
- Next artworks	5
Section at 100%	
- 1st section	20
- Next sections	15

New proofs off altered artwork at same rates. P&P incl. Add 3-4 days to job turnaround incl 1st class post. Add £4 for guaranteed next day delivery B4 1pm or £9 B4 9am.

Re-dos	Each
Print only	45
Print & laminate	75

If there is a problem with the artwork supplied and you request us to reprint a panel the prices above would apply (based on 800mm width)

Delivery

-  **Home**
-  **Key Features**
-  **Prices**
-  **Delivery**
-  **Order Form**
-  **Artwork Set-up**

Completed orders are available for collection from our offices in Edenbridge, Kent. We have plenty of easy parking or customers can send their own carrier/courier to collect.

Alternatively, you can request us to dispatch goods for you via any of the following options.

Delivery options & prices

Same Day Delivery

Please ask for a quote (postcode required).

Amtrak	No. of 800mm stands	1-3	4-5	6-7	8-9
Next working day before 6pm		23	28	33	38
Next working day before 12 noon		29	34	39	44
Next working day before 10am		33	38	43	48
Next working day before 9am		40	45	50	55
Saturday before 12 noon		40	45	50	55

For quantities over 9 add £5 for every 2 additional stands e.g 13 stands on a next working day before 6pm £48

Amtrak's Conditions of Carriage apply to all deliveries, www.amtrak.co.uk
Prices apply to delivery to England, Wales & Southern/Central Scotland.

Royal Mail	includes packaging
1st class post	£5*
Special delivery before 1pm	£9*
Special delivery before 9am	£14*

Minimum charge. Charge may increase depending on weight.
Should be requested for small packages only such as spares, proofs etc

Good to know

Critical deadlines

Where delivery to a critical deadline is involved we would always recommend a same day courier. If distance makes this cost-prohibitive then please allow for a timed delivery on an overnight carrier and/or allow an extra day in case of delay.

Help the driver

Always supply a contact name and telephone number in case the driver cannot find the delivery address (see order form).

Signing for goods

Someone must be present to sign for the goods at the delivery address. The consignment will not be left without a signature unless specifically requested (see order form). A re-delivery charge of £7.50 would apply if the carrier has to make a return delivery attempt.

Timed deliveries

The overnight carrier's Conditions of Carriage allow for timed next day deliveries to be up to 60mins late without penalty due to traffic conditions. Please inform us immediately if your delivery is over 60mins late so we can reduce your delivery charge to the next price band.

Insurance

If you would like us to arrange insurance for your goods whilst in transit please request this in your order and we will quote you for the additional cost.

Extra packing costs

We reserve the right to charge for additional packing or administration when appropriate, such as splitting orders for dispatch to multiple destinations or preparing goods for collection by client's carrier. We will quote you beforehand should this arise.

Terms and Conditions

Please read our standard terms and conditions regarding delivery and dispatch of goods.

Order Form

-  [Home](#)
-  [Key Features](#)
-  [Prices](#)
-  [Delivery](#)
-  [Order Form](#)
-  [Artwork Set-up](#)

Name	<input type="text"/>
Organisation	<input type="text"/>
Other info/ instructions	<input type="text"/>

Submit Order

-  [Print & Fax](#) to 01732 865615
-  [PDF & Email](#) to alanf@clsgraphics.co.uk

How to pay

Option 1: Payment BEFORE dispatch - cheque, bank transfer
 Option 2: Payment AFTER dispatch - credit account required

Artwork

Prices are based on printing from print-ready PDFs supplied

Proofs

Machine proofs are recommended on all jobs. Allow 3-4 days.

Turnaround

Prices are based on our stated turnaround times. Please allow sufficient time. Please check beforehand for faster turnaround.

Terms

All orders are subject to our stated terms and conditions.

BANNER STAND

1 Product

 [Prices](#)

Nautilus	Sides	Qty	Options
800mm	<input type="checkbox"/>	<input type="checkbox"/>	Stand, bag & banner <input checked="" type="checkbox"/> Silver <input type="checkbox"/> Black <input type="checkbox"/> Anodised
1000mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Replacement banner <input type="checkbox"/> Discard old banner
1200mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Return old banner
1500mm	<input type="checkbox"/>	<input type="checkbox"/>	

Accessories	Qty	Notes
35W banner light	<input type="checkbox"/>	1 bag can hold up to 4 lights, plus spare bulbs.
- spare bulbs	<input type="checkbox"/>	
- lights bag	<input type="checkbox"/>	

2 Proofs

 [Prices](#)

Whole banner at 10%	<input type="checkbox"/>
Section at 100%	<input type="checkbox"/>

3 Turnaround

 [Delivery](#)

Date artwork to be supplied	<input type="text"/>
Preferred delivery date	<input type="text"/>
Delivery method	<input type="text"/>
Deliver to	FAO
<input type="checkbox"/> Tick if usual details apply	Address
	<input type="text"/>
	Contact Tel

Artwork Set-up

- [Home](#)
- [Key Features](#)
- [Prices](#)
- [Delivery](#)
- [Order Form](#)
- [Artwork Set-up](#)

All sizes in mm	Full size	25% Scale
A - banner width	800, 1000, 1200, 1500	200, 250 300, 375
B - banner height	2360	590
C - visible height	2160	540
D - bleed	10	2.5
E - bleed into base	30	7.5

Non-visible area below the dotted line remains inside the base

Illustration not to scale. Specifications subject to change without notice.

BANNER STAND

Essential Instructions

Please follow these instructions to help avoid possible delays or additional set-up costs.

1 SIZE Set-up a document sized A x B, either full size or at 25% scale

2 ARTWORK Place artwork over the shaded area (A x C, plus bleed). DO NOT use the area under the dotted line.

[Setting-up artwork for banner stands](#)

3 PDF Artwork must be supplied as a suitable print-ready PDF, including **bleed** and **crop marks** as shown.

[Supplying suitable print-ready PDFs](#)

If you cannot supply a suitable print-ready PDF we can make it for you from most native applications at a cost of £10 per banner artwork. Please call to discuss.

4 PROOFS We recommend you supply a colour proof printed **from the PDF** including bleed and crop marks, to help us check reproduction of content.

Additionally, machine proofs printed on the final material can be ordered to check reproduction of content, colours, logos, image quality or specific detail prior to the final print-run (recommended).

[Prices](#)

Artwork Set-up (cont.)

-  **Home**
-  **Key Features**
-  **Prices**
-  **Delivery**
-  **Order Form**
-  **Artwork Set-up**

Setting up artwork for banner stands

Please follow these instructions carefully to achieve the best results and to avoid possible delays to your preferred delivery date and/or extra costs. Please feel free to call us for any advice.

1. Dimensions

Set up the layout page exactly to the dimensions specified on the Essential Instructions page (AxB). If setting up to scale, only use 25% scale.

2. Non-visible area

Ensure you have not placed important information in the non-visible area of the banner (below the dotted line shown on the Essential Instructions page). It will not be seen as it is the part of the printed banner that always stays rolled within the stand base.

3. Images

Images must all be supplied as CMYK.

For general use the resolution should equate to 75-100dpi at the printed size, equivalent to 30-60mb per sqm of printed image. If setting up artwork at 25% of the printed size then images should equate to 300-400dpi.

If your images are not of ideal resolution then you may wish to increase their resolution as necessary in Photoshop to reduce pixelation. You can view the images in Photoshop at the final print size to check how they will print.

Image quality is subjective and dependent on viewing distance. If you have any concerns over the quality of images used then please request a 100% section proof to check reproduction. Images will print as you supply them.

4. Logos

For completely sharp results, logos or illustrations should be supplied in vector format (such as Illustrator eps). To avoid curved elements looking faceted (like a 50 penny piece) ensure the logo

will not be printed more than 4 or 5 times its original size. Increase the size of the original file if this is the case.

Logos or illustrations supplied as images (raster format such as jpgs and tiffs) should be at least 300dpi at the printed size to avoid pixelation (this equates to 1200dpi at 25% scale. See section 3 for advice on improving and checking resolution.

5. Fonts

Wherever possible, all fonts must be saved as outlines/curves to avoid font issues.

6. Colours

Colours print as reasonable approximations, within our tolerances, to standard colour swatches such as Pantone/Process Guides.

Due to the subjective nature of colour and the variable nature of colour when viewed on different media, we recommend, if you have any critical colours, that you request a machine proof in your order.

Colours cannot be guaranteed to match on future reprints due to potential ageing of the original print and changes in machine set-up and media/ink batches. Please request a machine proof at the time of a future reprint if this is critical.

7. Supply your final artwork as a print ready PDF

Your price is based on supplying your final artwork as a print-ready hi-res PDF - [click for details](#).

8. Proofs

To help you achieve the results you are expecting we recommend you supply a hardcopy content proof with your artwork, and consider a machine proof prior to final print run - [click for details](#).

9. Getting artwork to us

In preference, please send artwork to us on disk (CD or DVD) with a hardcopy content proof. Alternatively, emails (up to 20mb), ISDN (01732 867524), or FTP site are acceptable.

Try www.mailbigfile.com if you do not have your own FTP site - its free!

Artwork Set-up (cont.)

-  [Home](#)
-  [Key Features](#)
-  [Prices](#)
-  [Delivery](#)
-  [Order Form](#)
-  [Artwork Set-up](#)

Supplying final artwork as hi-res PDF

The following are general guidelines designed to help you supply suitable hi-res PDFs for large-format output. Please feel free to call for any advice. Artwork not supplied to these specifications will be subject to a £10 set-up charge per banner artwork.

1. Artwork set-up

Please ensure you have followed all the artwork set-up instructions on the previous pages before making the PDF.

2. Compression/Image Quality

When prompted to make selections concerning compression and image quality, select options such as "Do not downsample", "Keep resolution", "Compression - None" to preserve the full resolution of images.

Do not compress text and line art.

If you have to use some compression to reduce file size then be aware that some loss of image quality is possible/likely. If you have any concerns we recommend a full size section proof through the images area(s) of concern.

3. Trim Marks and Bleed

You must choose options that include trim marks. You can use the default settings for line thickness and offset.

You must include bleed. If your artwork was set-up at 25% scale then set bleed to 2.5mm on all sides. If your artwork was set-up at 100% then use 10mm bleed on all sides.

4. Output/Colour/Profiles

When prompted to make selections concerning output / colour / profiles, select options such as "No colour conversion" and "Don't include profiles", "Print colours CMYK".

5. Fonts

When prompted to make selections concerning fonts, select options such as "Embed all fonts", otherwise use default settings.

Proofs

As a basic artwork check, we recommend you supply a hardcopy proof printed from your final hi-res PDF, including the bleed and crop marks.

We also offer a proofing service where you can order proofs printed on the final machine. Small proofs can be ordered at 10% of final print size or as full size section proofs.

We recommend machine proofs as the best way of ensuring your artwork reproduces the way you intend it, allowing you to check how content, colours, logos, image quality or specific detail will appear in the final print-run.

Proofs are supplied unlaminated as standard. The laminate makes a minor difference to the finished appearance. If you would like the proof(s) laminated please specify this in your order (a flat-charge of £15 regardless of quantity would apply).

Please allow 3-4 days from receipt of artwork for turnaround of proofs. Quoted costs include 1st class post. If timescale is tight proofs would have to be sent out by guaranteed next day delivery. To avoid delays to your preferred delivery date please arrange for proofs to be checked immediately on receipt.

If, on receipt of your proof, alterations to the artwork need to be made, please supply new artwork with a hardcopy proof and specify whether you wish to order a new set of proofs. Please allow for this in your timescale.

Please feel free to call for advice on any aspect of proofing.

Machine Proofs	Each
10% proof	
- 1st artwork	20
- Next artworks	5
Section at 100%	
- 1st section	20
- Next sections	15

New proofs off altered artwork at same rates.
P&P incl. Add 3-4 days to job turnaround
incl 1st class post. Add £4 for guaranteed next day delivery B4 1pm or £9 B4 9am.